

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/811,147	03/29/2004	Marvin R. Blumberg	P68755US1	8465
136 7590 09/07/2007 JACOBSON HOLMAN PLLC 400 SEVENTH STREET N.W.			EXAMINER	
			SPAHN, GAY	
SUITE 600 WASHINGTON, DC 20004			ART UNIT	PAPER NUMBER
	•		3635	
•			MAIL DATE	DELIVERY MODE
			09/07/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/811,147	BLUMBERG, MARVIN R.			
Office Action Summary	Examiner	Art Unit			
	Gay Ann Spahn	3635			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period was railure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timulated unit apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONEI	lely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status	•				
1) Responsive to communication(s) filed on 29 Mi 2a) This action is FINAL. 2b) This 3) Since this application is in condition for alloward closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) Claim(s) 1-10 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) 1-10 are subject to restriction and/or expressions.	vn from consideration.				
Application Papers		·			
9) The specification is objected to by the Examiner 10) The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction of the original transfer and the correction of the correction of the original transfer and the correction of	epted or b) objected to by the Eddrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ite			

DETAILED ACTION

Election/Restrictions

This application contains claims directed to TWO GROUPS OF SPECIES from each of which Applicant must elect a single species.

The FIRST GROUP OF SPECIES (i.e., species of design of corridor space having distribution system)

GROUP I, SPECIES I - Fig. 1A;

OR

GROUP I, SPECIES II - Fig. 1C.

The species are independent or distinct because:

GROUP I, SPECIES I (i.e., Fig. 1A) discloses a flooring system wherein the rooms (4, 5) have a slab (60) located on the ground for a floor and the corridor (1) has a system where the condensate opening (55) is located at the low point of two downwardly sloped structures; and

GROUP I, SPECIES II (i.e., Fig. 1C) discloses a flooring system wherein the rooms (4, 5) have a raised floor 13 above a slab (60) located on the ground and the corridor (1) has a system where the condensate opening (55) is located at the center of a horizontal structure.

Application/Control Number: 10/811,147

Art Unit: 3635

The SECOND GROUP OF SPECIES (i.e., species of design of corridor space having distribution system)

GROUP II, SPECIES I - fiber optic trays (61A, 61B) and cylinders for fire suppression system (51A, 51B) below floor;

OR

GROUP I), SPECIES II - fiber optic trays (61A, 61B) and cylinders for fire suppression system (51A, 51B) above mezzanine deck.

The species are independent or distinct because they are mutually exclusive.

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, at least independent claim 1 appears to be generic.

Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which depend from or otherwise require all the limitations of an allowable generic claim as provided by 37 CFR 1.141. If claims are added after

the election, applicant must indicate which are readable upon the elected species.

MPEP § 809.02(a).

A telephone call to Applicant to request an oral election was not made due to the complexity of the election to the above election of species requirement.

Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention or species may be made with or without traverse. To reserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

Should applicant traverse on the ground that the inventions or species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the inventions or species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C.103(a) of the other invention.

Art Unit: 3635

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gay Ann Spahn whose telephone number is (571)-272-7731. The examiner can normally be reached on Monday through Friday, 10:30 am to 7:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard E. Chilcot can be reached on (571)-272-6777. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Gay Ann Spahn, Patent Examiner

Gay Ann Spahn

August 29, 2007